

速冻食品机械推广手册

Marketing Promotion Manual For Quick Frozen Food Machinery



Soontrue 松川®
自在为先



成都松川雷博机械设备有限公司
CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD

地址:成都市温江区金马镇樟桥路518号
总机: 86-28-82688218
销售直线: 86-28-82688955
传真: 86-28-82689699
邮编: 611130
网址: www.soontrue.com
(2018.04)





成都松川雷博机械设备有限公司专注于食品烘焙行业和食品速冻行业的机械设备与自动化生产线的研发和制造。为烘焙行业提供优质的月饼生产线、注馅蛋糕烘烤机、高速排盘机、铜锣烧机等。致力于为烘焙行业提供可靠的、代替手工的自动化机械设备，力求设备与工艺的完美结合，使客户在不降低传统口感的基础上发展为工业化生产，为消费者提供优质服务。致力于为速冻行业提供全自动的汤圆机、全自动饺子机、全自动包子机，并专注于设备的改善和工艺的改良，达到公司和客户的共赢。

公司秉承着集团总部——松川企业“成为国际一流的机械设备供应商”的愿景，从产品的设计到制造，都严格把关，并引进先进加工设备：卧式、立式加工中心，激光切割机以保证产品的质量和稳定性。

公司致力于改善员工工作环境的建设，使员工在工作、生活方面都有同样高品质的素养，做出高品质的产品，达到公司和客户的共赢。

As an immediate subordinate to Soonttrue Corporation Group ,Chengdu Rainbow Food Machinery Co.,Ltd focus on product design,auto production line and equipment manufacturing for bakery and quick frozen industry. We provide bakery industry with excellent Moon cakes shaping line, Cake roasting machine,High speed Tidy-up machine,Dorayaki machine, etc., persistently dedicating to offering reliable auto production line to replace hand making ,perfectly combining equipment and process, which enable our customers by utilizing industry production without affecting the traditional taste. Meanwhile we are devoted to supplying fully automatic rice ball making machine ,fully automatic dumpling make machine ,fully automatic stuffing machine for quick frozen industry and concentrate on improving the equipment and bettering the process in order to achieve win-win between us and our customers.

To accomplishment Soonttrue's goal is becoming the world top machinery supplier, from design to manufacturing , we are strict in every section and to ensure quality steadiness, we adopt advanced processing equipment such as horizontal and vertical machining center ,laser cutting and so on .

To achieve superior product quality and win-win between company and staff, we are dedicated to creating better working and living condition to make our employees more competent.



寿桃包——用发酵面团制成桃叶托桃状，并以食用色素装饰，包有多种不同馅料，蒸熟而成，形状支利，味道甜美，多用于喜庆寿宴。

Birthday peach bun is made of fermented dough with various stuffing, in the shape of a peach held by peach leaves and colored, widely used at birthday feast.



包子——源于中国，是一种把面粉加水、糖等调匀，手工制作时加入肉、菜、豆蓉等馅料，发酵后通过蒸笼蒸熟而成的食品，现用拉花包馅机批量生产，每分钟可以达到6个。

Steamed bun from China, made by flour mixed proportionally with water and sugar and then stuffed by hands with meat, vegetable, bean puree etc and finally steamed after ferment. By using flower bun machine, 60pcs/min can be reached in mass production.



饺子全套生产线——由SJ16双道高速饺子机、SF430复合机、SP430分切式制皮机组成。

Dumpling complete production line is consists of SJ16 double line high speed device, SF430 compound machine, SP430 wrapper maker.



>> 高速饺子机

HIGH SPEED DUMPLING MACHINE



饺子——对崇尚亲情的中国人来说，祈求来年的吉祥如意，除夕之夜，窗外雪落无声，屋内灯光暖人，锅里热气腾腾，把所有的思念与祝福，都包进那薄薄的饺子皮里，红红的火苗滚开的水，盛上饺子，也盛出了对来年美好的期望。

Dumpling, On New Year's Eve Evening, While snow falls gently, room warmed with light and hot air rising from cooking pot, family-loving Chinese people who pray for the upcoming smoothness stuff the dumpling pastry with all the wishes and regards, put it into boiled water and get it served.

馄饨——源于中国北方，流传所谓“冬至馄饨夏至面”的谚语，原把它看作节令食品，但生活节奏快速的现代人，一年四季都对它和饺子爱不释手。

Wonton from North China. As the proverb goes "the winter solstice wonton summer solstice surface". Firstly served only on festivals, due to the fast tempo of modern life, people become attached to wonton, All the year round.

>> SJ16A 双道高速饺子机

SJ16A Double line high speed dumpling machine

◆ 主要性能和结构特点：

- 1.单辊压面，人性化设计，外观美观，易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面，操作简单。
- 4.优良的结构设计，使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便，可自动计数。
- 6.可更换各种模具。

◆ Main Performance and Structure :

- 1.Single roller pressing wrapper, Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.Various mould can be changed.

◆ 适用范围：适用生产多种饺子及馄饨。

◆ Application : Used for making all kinds of dumplings and wontons.



SF230 制皮机



SF430复合机+SP430分切式制皮机

◆ 适用范围：

适用于食品专业生产企业压制面皮，以供制造饺子、馄饨等食品用。可与SJ16A配套使用。

◆ 性能技术参数： ◆ Technical specifications:

型号 Model	SP230
生产速度 Capacity	2-4.5 m/min
电源 Power supply	220V 50Hz
总功率 The whole power	1.5Kw
外形尺寸 Out dimension	2150 × 600 × 1560mm
机械重量 Total weight	350Kg

型号 Model	SJ16A
生产速度 Capacity	160个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	2.5Kw
外形尺寸 Out dimension	2050 × 1480 × 2070mm
机械重量 Total weight	约1200Kg
压缩空气用量 Usage of compressing air	约150L/min



SJ16F 双道高速饺子机

SJ16F Double line high speed dumpling machine

◆ 主要性能和结构特点:

- 1.三辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.可更换各种模具,带残皮回收。

◆ Main Performance and Structure :


- 1.Triple roller pressing wrapper,Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.,It includes the waste wrapper collecting device and Various mould can be changed.

◆ 适用范围:

适用生产多种饺子及馄饨。


◆ Application :

Used for making all kinds of dumplings and wontons.



◆ 性能技术参数: ◆ Technical specifications:

型号 Model	SJ16F
生产速度 Capacity	160个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	5.4Kw
外形尺寸 Out dimension	2060 x 2220 x 2070mm
机械重量 Total weight	约1400Kg
压缩空气用量 Usage of compressing air	约150L/min



SJ16G 双道高速饺子机

SJ16G Double line high speed dumpling machine

◆ 主要性能和结构特点:


- 1.四辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.可更换各种模具,带残皮回收。

◆ 适用范围:

适用生产多种饺子及馄饨。

◆ Application :

Used for making all kinds of dumplings and wontons.



◆ Main Performance and Structure :

- 1.Four roller pressing wrapper,Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.It includes the waste wrapper collecting device and Various mould can be changed.

◆ 性能技术参数: ◆ Technical specifications:

型号 Model	SJ16G
生产速度 Capacity	160 个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	6.9Kw
外形尺寸 Out dimension	2450 x 2220 x 2070mm
机械重量 Total weight	约1500Kg
压缩空气用量 Usage of compressing air	约150L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇柳桥路518号
总机: 86-28-82688218
销售直线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



SJ24 三道高速饺子机

SJ24 Triple line high speed dumpling machine

● 主要性能和结构特点:

- 1.三辊压面, 人性化设计, 外观美观, 易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面, 操作简单。
- 4.优良的结构设计, 使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便, 可自动计数。
- 6.可更换各种模具, 带残皮回收。

● Main Performance and Structure :

- 1.Triple roller pressing wrapper, Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.It includes the waste wrapper collecting device and Various mould can be changed.

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.



● 性能技术参数: ● Technical specifications:

型号 Model	SJ24
生产速度 Capacity	240个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	5.4Kw
外形尺寸 Out dimension	2200×2250×1950mm
机械重量 Total weight	约1600Kg
压缩空气用量 Usage of compressing air	约200L/min



SJ24C 三道高速饺子机

SJ24C Triple line high speed dumpling machine

● 主要性能和结构特点:

- 1.三辊压面, 人性化设计, 外观美观, 易清洁。
- 2.电子凸轮压合, 品种更换方便简单。
- 3.具有良好的人机对话界面, 操作简单, 带自动抓饺、整形。
- 4.饺子在输送带上可站立。
- 5.优良的结构设计, 使常清洗件具有良好的可拆卸性。
- 6.工艺参数存取方便, 可自动计数。
- 7.可更换各种模具, 带残皮回收。

● Main Performance and Structure :

- 1.Triple roller pressing wrapper, Personified design, fine appearance, easy and convenient for cleaning.
- 2.The electric cam pressing, Easy to change product types.
- 3.With a good human-machine interface, easy for operation, including the automatic dumpling collecting and dumpling reforming.
- 4.The dumpling can stand up on the conveyor belt.
- 5.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 6.Process parameters can be stored conveniently for automatic counting.
- 7.It includes the waste wrapper collecting device and Various mould can be changed.

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.



● 性能技术参数: ● Technical specifications:

型号 Model	SJ24C
生产速度 Capacity	240个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	7.4Kw
外形尺寸 Out dimension	2200×2250×1950mm
机械重量 Total weight	约1600Kg
压缩空气用量 Usage of compressing air	约200L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇桥路518号
总机: 86-28-82688218
销售热线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



SJ24D 三道高速饺子机

SJ24D Triple line high speed dumpling machine

● 主要性能和结构特点:

- 1.三辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单,二次压合成型。
- 3.注馅调节由伺服驱动器控制。
- 4.自动抓饺、整形,饺子在输送带上可站立,可实现自动排盘。
- 5.具有良好的人机对话界面,操作简单。
- 6.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 7.工艺参数存取方便,可自动计数。
- 8.可更换各种模具,带残皮回收。

● Main Performance and Structure :

1. Triple roller pressing wrapper, Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types, Second time pressing and reforming.
3. Stuffing is controlled by the servomotor.
4. It can automatically collect the dumpling and reforming. The dumpling can stand up on the conveyor belt.
5. With a good human-machine interface, easy for operation.
7. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
8. Process parameters can be stored conveniently for automatic counting.
8. It includes the waste wrapper collecting device and Various mould can be changed.

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.




● 性能技术参数: ● Technical specifications:

型号 Model	SJ24D
生产速度 Capacity	240个/分钟 (piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	9Kw
外形尺寸 Out dimension	2700 x 2200 x 2000mm
机械重量 Total weight	约1700Kg
压缩空气用量 Usage of compressing air	约200L/min



SJ24FA 三道高速饺子机

SJ24FA Triple line high speed dumpling machine



● 主要性能和结构特点:

- 1.人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.可更换各种模具。

● 适用范围:

适用于生产多种饺子。

● Application :

Used for making all kinds of dumplings.

● Main Performance and Structure :

1. Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types.
3. With a good human-machine interface, easy for operation.
4. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
5. Process parameters can be stored conveniently for automatic counting.
6. Various mould can be changed.

● 性能技术参数: ● Technical specifications:

型号 Model	SJ24FA
生产速度 Capacity	180~200个/分钟 (piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	9.8Kw
外形尺寸 Out dimension	2820 x 3050 x 2470mm
机械重量 Total weight	约1700Kg
压缩空气用量 Usage of compressing air	约200L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇柳桥路518号
总机: 86-28-82688218
销售热线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



SJZ16 双道直排水饺机

SJZ16 Double direct line dumpling machine

● 主要性能和结构特点:

- 1.大直径压面辊,四辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数,带残皮回收。
- 6.可更换各种模具,带残皮回收。

● Main Performance and Structure :

- 1.Big diameter pressing roller,Four roller pressing wrapper,Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.Various mould can be changed,It includes the waste wrapper collecting device.

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.



● 性能技术参数: ● Technical specifications:

型号 Model	SJZ16
生产速度 Capacity	120个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	8Kw
外形尺寸 Out dimension	2470×1910×1975mm
机械重量 Total weight	约1700Kg
压缩空气用量 Usage of compressing air	约150L/min



SJZ32 四道直排水饺机

SJZ32 Four direct line dumpling machine

● 主要性能和结构特点:

- 1.三辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.可更换各种模具,带残皮回收。

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.



● Main Performance and Structure :

- 1.Triple roller pressing wrapper,Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.Various mould can be changed,It includes the waste wrapper collecting device.

● 性能技术参数: ● Technical specifications:

型号 Model	SJZ32
生产速度 Capacity	240个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	7Kw
外形尺寸 Out dimension	3358×1378×2121mm
机械重量 Total weight	约2300Kg
压缩空气用量 Usage of compressing air	约200L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇柳桥路518号
总机: 86-28-82688218
销售直线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



TM16 双道高速饺子机

TM16 Double line high speed dumpling machine

● 主要性能和结构特点:

- 1.大直径压面辊,四辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单。
- 3.具有良好的人机对话界面,操作简单,电器为进口配置。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.带残皮回收,可更换各种模具。

● Main Performance and Structure :

- 1.Big diameter pressing roller, and Four roller pressing wrapper. Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types.
- 3.With a good human-machine interface, easy for operation, Imported electrical parts.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.It includes the waste wrapper collecting device and Various mould can be changed

● 适用范围:

适用生产多种饺子及馄饨。

● Application :

Used for making all kinds of dumplings and wontons.



● 性能技术参数: ● Technical specifications:

型号 Model	TM16
生产速度 Capacity	160个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	7.0Kw
外形尺寸 Out dimension	2583×2080×1975mm
机械重量 Total weight	约1800Kg
压缩空气用量 Usage of compressing air	约150L/min



YTH16A 双道云吞机

YTH16A Double line wonton machine

● 主要性能和结构特点:

- 1.大直径压面辊,四辊压面,人性化设计,外观美观,易清洁。
- 2.品种更换方便简单,适宜颗粒馅,电器为进口配置。
- 3.具有良好的人机对话界面,操作简单。
- 4.优良的结构设计,使常清洗件具有良好的可拆卸性。
- 5.工艺参数存取方便,可自动计数。
- 6.可更换各种模具,带残皮回收。

● Main Performance and Structure :

- 1.Big diameter pressing roller and Four roller pressing wrapper. Personified design, fine appearance, easy and convenient for cleaning.
- 2.Easy to change product types, it is suitable for granules filling stuff, Imported electrical parts.
- 3.With a good human-machine interface, easy for operation.
- 4.Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
- 5.Process parameters can be stored conveniently for automatic counting.
- 6.It includes the waste wrapper collecting device and Various mould can be changed.

● 适用范围:

适用生产云吞。

● Application :

Suitable for following products
thin-skinned.



● 性能技术参数: ● Technical specifications:

型号 Model	YTH16A
生产速度 Capacity	120个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	5.6Kw
外形尺寸 Out dimension	2650×2470×1957mm
机械重量 Total weight	约1800Kg
压缩空气用量 Usage of compressing air	约150L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇桥路518号
总机: 86-28-82688218
销售直线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



YTH24 三道云吞机

YTH24 Triple line wonton machine



● 主要性能和结构特点:

1. 三辊压面,人性化设计,外观美观,易清洁。
2. 品种更换方便简单,带残皮回收。
3. 具有良好的人机对话界面,操作简单。
4. 优良的结构设计,使常清洗件具有良好的可拆卸性。
5. 工艺参数存取方便,可自动计数。
6. 可更换各种模具,注馅调节由伺服驱动器控制。

● 适用范围:

适用生产云吞。

● Application :

Suitable for following products
thin-skinned.

● Main Performance and Structure :

1. Triple roller pressing wrapper, Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types, Includes the waste wrapper collecting device.
3. With a good human-machine interface, easy for operation.
4. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
5. Process parameters can be stored conveniently for automatic counting.
6. Various mould can be changed, Stuffing is controlled by the servo motor.

● 性能技术参数: ● Technical specifications:

型号 Model	YTH24
生产速度 Capacity	180~200个/分钟(piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	5.6Kw
外形尺寸 Out dimension	4400×1000×2100mm
机械重量 Total weight	约1800Kg
压缩空气用量 Usage of compressing air	约200L/min



RA100 高速排盘机

RA100 High speed line machine



● 主要性能和结构特点:

1. 人性化设计,外观美观,易清洁。
2. 品种更换方便简单。
3. 具有良好的人机对话界面,操作简单。
4. 优良的结构设计,使常清洗件具有良好的可拆卸性。
5. 工艺参数存取方便,可自动计数。
6. 可更换各种模具。

● 适用范围:

适用于抓取各类产品装入托盒。

● Application :

Applicable for catching various kinds of products into trays.

● Main Performance and Structure :

1. Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types.
3. With a good human-machine interface, easy for operation.
4. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
5. Process parameters can be stored conveniently for automatic counting.
6. Various mould can be changed.

● 性能技术参数: ● Technical specifications:

型号 Model	RA100
抓取速度 Capacity	240 个/分钟
电源 Power supply	380V 50Hz
总功率 The whole power	2.5Kw
外形尺寸 Out dimension	2559×1619×1895mm
机械重量 Total weight	约600Kg
压缩空气用量 Usage of compressing air	约200L/min




成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇桥路518号
总机: 86-28-82688218
销售热线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com



SM16 烧麦机

SM16 Steamed dumplings machine



● 主要性能和结构特点:

1. 人性化设计, 外观美观, 易清洁。
2. 品种更换方便简单。
3. 具有良好的人机对话界面, 操作简单。
4. 优良的结构设计, 使常清洗件具有良好的可拆卸性。
5. 工艺参数存取方便, 可自动计数。
6. 可更换各种模具。

● 适用范围:

适用于生产多种烧麦。

● Application :

Used for making all kinds of steamed dumplings.

● Main Performance and Structure :

1. Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types.
3. With a good human-machine interface, easy for operation.
4. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
5. Process parameters can be stored conveniently for automatic counting.
6. Various mould can be changed.

● 性能技术参数: ● Technical specifications:

型号 Model	SM16
生产速度 Capacity	120个/分钟 (piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	8.5Kw
外形尺寸 Out dimension	2820 × 2875 × 2090mm
机械重量 Total weight	约1800Kg
压缩空气用量 Usage of compressing air	约150L/min



SM24 烧麦机

SM24 Steamed dumplings machine



● 主要性能和结构特点:

1. 人性化设计, 外观美观, 易清洁。
2. 品种更换方便简单。
3. 具有良好的人机对话界面, 操作简单。
4. 优良的结构设计, 使常清洗件具有良好的可拆卸性。
5. 工艺参数存取方便, 可自动计数。
6. 可更换各种模具。

● 适用范围:

适用于生产多种烧麦。

● Application :

Used for making all kinds of steamed dumplings.

● Main Performance and Structure :

1. Personified design, fine appearance, easy and convenient for cleaning.
2. Easy to change product types.
3. With a good human-machine interface, easy for operation.
4. Excellent design of the configuration, easy to disassemble the regular parts for cleaning.
5. Process parameters can be stored conveniently for automatic counting.
6. Various mould can be changed.

● 性能技术参数: ● Technical specifications:

型号 Model	SM24
生产速度 Capacity	180~200个/分钟 (piece/min)
电源 Power supply	380V 50Hz
总功率 The whole power	7Kw
外形尺寸 Out dimension	2620 × 2890 × 2080mm
机械重量 Total weight	约1800Kg
压缩空气用量 Usage of compressing air	约200L/min



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇桥路518号
总机: 86-28-82688218
销售直线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com

BX200A 包馅机

Stuffing machine



寿桃包——用发酵面团制成桃叶托桃形状，并以食用色素装饰，包有多种不同馅料，蒸熟而成，形状支利，味道甜美，多用于喜庆寿宴。

Birthday peach bun is made of fermented dough with various stuffing, in the shape of a peach held by peach leaves and colored, widely used at birthday feast.



花式曲奇——源于欧洲的休闲食品，通过全自动包馅机把皮、馅食品原料加工成球状或棒状切片而成，利用可可粉、抹茶粉、草莓粉的色彩，烘焙成可爱优美的形状，入口即化、酥糯香醇。

Fancy cookies from Europe snack, of which pastry and stuffing are processed to ball or stick shape, colored by cocoa powder, tea powder and strawberry powder, baked into lovely and delicate cookie, crisp and flavourful.

BX200A 包馅机

Stuffing machine



主要性能和结构特点:

1. 有良好操作界面，机器操作简单。
2. 需拆卸清洗零部件具有良好的可拆卸性及装配恢复性。
3. 用途广，可用于制造多种包馅食品

适用范围:

本机用于包合成型包馅的球状制品、棒状制品。

Main Performance and Structure :



1. With a good human-machine interface, easy for operation.
2. Easy to remove regular cleaning parts and refix them.
3. Widely used for making various stuffing products.

Application :

It is mainly used for making spherical or claviform stuffing products.

性能技术参数: Technical specifications:

型号 Model	BX200A
加工速度 Capacity	38个/分钟 (piece/min)
加工范围 Scope of product	球装制品重量 Spherical Weight Products 25-55g
整机重量 Total weight	800kg
外形尺寸 Out dimensions	1710x1110x1400mm
电源 Power supply type	三相交流 380V, 50Hz





JM200 多功能卷面机

JM200 Multifunctional roll dough machine

● 适用范围:

- 1.酥饼、肉松饼、绿豆饼、老婆饼、水晶饼、苏式月饼膜片、马蹄酥等。
- 2.豆沙包(汉堡)、手撕包、莲蓉包、早餐包、毛毛虫面包、西饼、土司、肉桂面包、油炸面包等。
- 3.包子(肉包、菜包)、豆沙包、叉烧包、馒头、花卷、荷叶饼、银丝卷、馅饼、烧饼等。

● Application :

- 1.Suitable for following products:flaky pastry,shreded pork cake,green bean cake,wife cake ,crystal cake,su-style moon cake,bun,horshooves cake,etc.
- 2.hamburger ,jam bun,lotus seed paste bun,breakfast bun,caterpillar bread,joy luck cake(western -style pastry) ,toast,cinnamon bread,fried bread,etc.
- 3.steamed bun stuffed with meat or vegetable , smashed beanbun,steamed BBQpork bun,steamed bread,steamed twisted roll,lotus leaf shaped pancake,silver thread roll , pie,sesame seed cake,etc.



● Main Performance and Structure :

- 1.The dough is smooth with stable quality after the pressing of two wheels and rolling device.
- 2.The equipment will not damage the dough and not be hot while running.
- 3.The weight and quality of products are stable and have low errors.
- 4.The thickness, weight and size of production can be freely designed and changed.
- 5.Flexible production line (producing different products with different peripheral configurations).
- 6.producing diverse products with matching cutters.
- 7.The equipment has the function of adjusting speed synchronously, so it can be operated easily.

● 性能技术参数: ● Technical specifications:

型号 Model	JM200
生产速度 Capacity	160个/分钟(piece/min)
电源 Power supply	380V 50Hz ,三相五线
总功率 The whole power	5.6Kw
外形尺寸 Out dimension	4400 x 1000 x 2100mm
机械重量 Total weight	约1400Kg
压缩空气用量 Usage of compressing air	约150L/min



BX-T900汤圆机

Dumpling (Tangyuan)



汤圆——源于宋朝，相传汉武帝在正月十五供奉火神君，让家家户户做的传统美食来保佑一家团聚、平安。传统做法用各种果馅做馅，外面用糯米粉搓成球。汤圆皮薄而滑，糯而不黏，鲜爽可口，令人称绝。

Dumpling(In Chinese,it is called "Tangyuan")originated from Song Dynasty. A Chinese emperor designed such food for worshipping the fire GOD for blessing peace. Traditionally, people usually use various fruit jam as stuffing by covering it with glutinous rice powder and then make it into round shape. The Tangyuan is delicious and creditable.



芝麻球——中国的民俗点心，传统用糯米浆团先压成圆形，中间包入豆沙馅搓圆，沾水后，再裹芝麻。也可替换成绿豆沙馅、奶黄馅或抹茶豆沙馅。因它老少咸宜成为餐桌上必不可少的一道点心。

Sweet sesame ball is another Chinese traditional folk dessert. People usually make the glutinous rice paste into round shapes, then put the bean paste or milk yolk or green bean paste inside the rice paste as the stuffing, then rub it into balls. Finally, wrap with sesame by moisturing the balls. Such dessert is very popular in China.



成都松川雷博机械设备有限公司
地址：成都市温江区金马镇柳桥路518号
总机：86-28-82688218
销售热线：86-28-82688955
传真：86-28-82689699 邮编：611130
网址：www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com

BX-T900汤圆机

Dumpling(Tangyuan)

● 主要性能和结构特点:

- 1.外观美观,易清洁。
- 2.优良结构设计,使拆卸清洗件具有优良的拆装性。
- 3.可作大小若干种包馅球状食品。
- 4.具有自动接料排盘功能。

● Main Performance and Structure :


- 1.Fine appearance and convenient for cleaning;
- 2.Excellent structure design and easy to disassemble the regular parts;
- 3.It can make various ball-like food;
- 4.Automatic function of collecting and tidy-up in plate.

● 适用范围:

适用于专业大批量汤圆、香芋地瓜丸、芝麻球等球状包馅食品。

● Application:

It is applicable for the mass production of stuffing food, such as dumpling, sweet sesame ball, etc.



● 性能技术参数:

● Technical specifications:

型号 Model	BX-T900
生产速度 Capacity	100-400个/分钟 (piece/min)
电源 Power supply	220V 50-HZ
总功率 The whole power	4.2kw
外形尺寸 Out dimension	1560 x 1435 x 1470mm
机械重量 Total weight	720kg
制品重量范围 Weight of Product	3.8-33g

BX-800汤圆机

Dumpling(Tangyuan)



汤圆——源于宋朝，相传汉武帝在正月十五供奉火神君，让家家户户做的传统美食来保佑一家团聚、平安。传统做法用各种果馅做馅，外面用糯米粉搓成球。汤圆皮薄而滑，糯而不黏，鲜爽可口，令人称绝。

Dumpling(In Chinese, it is called "Tangyuan") originated from Song Dynasty. A Chinese emperor designed such food for worshipping the fire GOD for blessing peace. Traditionally, people usually use various fruit jam as stuffing by covering it with glutinous rice powder and then make it into round shape. The Tangyuan is delicious and creditable.



芝麻球——中国的民俗点心，传统用糯米浆团先压成圆形，中间包入豆沙馅搓圆，沾水后，再裹芝麻。也可替换成绿豆沙馅、奶黄馅或抹茶豆沙馅。因它老少咸宜成为餐桌上必不可少的一道点心。

Sweet sesame ball is another Chinese traditional folk dessert. People usually make the glutinous rice paste into round shapes, then put the bean paste or milk yolk or green bean paste inside the rice paste as the stuffing, then rub it into balls. Finally, wrap with sesame by moistening the balls. Such dessert is very popular in China.



成都松川雷博机械设备有限公司
地址: 成都市温江区金马镇桥路518号
总机: 86-28-82688218
销售热线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO., LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com

BX-800汤圆机 Dumpling(Tangyuan)

主要性能和结构特点:

- 1.外观美观,易清洁。
- 2.优良结构设计,使拆卸清洗件具有优良的拆装性。
- 3.可作大小若干种包馅球状食品。
- 4.具有自动接料排盘功能。

Main Performance and Structure :



1. Fine appearance and convenient for cleaning;
2. Excellent structure design and easy to disassemble the regular parts;
3. It can make various ball-like food;
4. Automatic function of collecting and tidy-up in plate.

适用范围:

适用于专业大批量汤圆、香芋地瓜丸、芝麻球等球状包馅食品。

Application:

It is applicable for the mass production of stuffing food, such as dumpling, sweet sesame ball, etc.



性能技术参数:

型号 Model	BX 800
生产速度 Capacity	200-800个/分钟 (piece/min)
电源 Power supply type	380V 50HZ
总功率 Total power	13.5千瓦(kw)
外形尺寸 Out dimensions	2135x1935x1795(mm)
整机重量 Total weight	约2200公斤 (kg)
制品重量范围 Weight of Product	18-20克 (g)

Technical specifications:

松川企业营销系统通讯录

联系方式

上海销售分公司

地址: 上海青浦工业园区崧泽大道9881号 邮编: 201700 电话: 021-69213288 传真: 021-69213157
合肥市服务网点 地址: 安徽省合肥市繁华世家驿站苑2栋402室 邮编: 230601 电话/传真: 0551-3876322

佛山销售分公司

地址: 广东省佛山市顺德区陈村镇广隆工业区环镇东路3号 邮编: 528313 电话: 0757-29833088 传真: 0757-29833099
东莞市服务网点 地址: 广东省东莞市寮步镇横坑北门鱼种塘新村78号四楼 邮编: 522325 电话/传真: 0769-81108812
揭阳市服务网点 地址: 广东省揭阳市东山区卢前新区3号路恒发通讯大厦2F 邮编: 522031 电话/传真: 0663-8228353
南宁市服务网点 地址: 广西省南宁市明秀东路165号一单元303房 邮编: 530001 电话/传真: 0771-3323716

晋江销售分公司

地址: 福建省晋江市罗山镇华泰国际新城48幢102-104 邮编: 362200 电话: 0595-88191485 88195536 传真: 0595-88195537
漳州市服务网点 地址: 福建省漳州市芫园路中兴花园1幢104室 邮编: 363000 电话/传真: 0596-6339348

成都销售分公司

地址: 成都市温江区金马镇柳桥路638 邮编: 611130 电话: 028-82688598 传真: 028-82688699
昆明市服务网点 地址: 云南省昆明市滇池路阳光花园旭苑17幢1单元101室 邮编: 650000 电话/传真: 0871-4641032
重庆市服务网点 地址: 重庆市九龙坡区凤凰路5号附17号一层幸福阳光26楼4号 邮编: 400039 电话/传真: 023-68176715
西安市服务网点 地址: 陕西省西安市东关南街古迹岭小区23号楼5单元401室 邮编: 710048 电话/传真: 029-83111701

天津销售分公司

地址: 天津市河东区新开路新天地家园9-1-601 邮编: 300290 电话: 022-60896349 传真: 022-60896348
哈尔滨市服务网点 地址: 黑龙江省哈尔滨市南岗区建筑街40号3单元801室 邮编: 150006 电话/传真: 0451-5363018
济南市服务网点 地址: 山东省济南市太平洋花园东区9栋2单元302室 邮编: 250031 电话/传真: 0531-85761543
沈阳市服务网点 地址: 辽宁省沈阳市皇姑区珠江街122号1单元13楼3室 邮编: 110031 电话/传真: 024-86400920

郑州销售分公司

地址: 河南省郑州市金水区经三路68号2号楼5003室 邮编: 450000 电话: 0371-68184107 传真: 0371-68184035
武汉市服务网点 地址: 湖北省武汉市新华下路特1号壹丰花园5栋1单元401号 邮编: 430000 电话/传真: 027-85886128
长沙市服务网点 地址: 湖南省长沙市芙蓉区德政园润心苑1栋301房 邮编: 410000 电话/传真: 0731-5514795
南昌市服务网点 地址: 江西省南昌市西湖区坝口路22号1栋3单元401室 邮编: 330000 电话/传真: 0791-8219775

专家品牌 创值伙伴



成都松川雷尊机械设备有限公司
地址: 成都市温江区金马镇柳桥路518号
总机: 86-28-82688218
销售热线: 86-28-82688955
传真: 86-28-82689699 邮编: 611130
网址: www.soontrue.com

CHENGDU SOONTRUE RAINBOW MACHINERY EQUIPMENT CO.,LTD
Add: No.518, MengQiao Rd, JinMa town, WenJiang District, Chengdu
Switch line: 86-28-82688218
Sales line: 86-28-82688698
Fax: 86-28-82689699 Zip: 611130
www.soontrue.com